

NEET (UG) - 2024 Examination (Sunday 5th May 2024)

Expected cut off marks of NEET 2024 (15% All India Quota) : 625 [Gen]

Expected cut off marks of NEET 2024 (Jharkhand State Quota) : 615 [Gen]

Test Paper with Answer Key

PHYSICS

SECTION - A

01. A tightly wound 100 turns coil of radius 10 cm carries a current of 7A. The magnitude of the magnetic field at the centre of the coil is (Take permeability of free space as $4\pi \times 10^{-7}$ SI units)

- (1) 4.4 mT (2) 44 T
 (3) 44 mT (4) 4.4 T

Ans. (1)


02. Match List -I with List - II

List I	List - II
(Material)	(Susceptibility (χ))
A. Diamagnetic	I. $\chi = 0$
B. Ferromagnetic	II. $0 > \chi \geq -1$
C. Paramagnetic	III. $\chi \gg 1$
D. Non-magnetic	IV. $0 < \chi < \epsilon$ (a small positive number)

- (1) A - III, B - II, C-I, D-IV
 (2) A - IV, B-III, C-II, D-I
 (3) A- II, B -III, C-IV, D-I
 (4) A-II, B-I, C-III, D-IV

Ans. (3)

03. A thermodynamic system is taken through the cycle abcda. The work done by the gas along the path bc is



- (1) -90 J (2) -60 J
 (3) Zero (4) 30 J

Ans. (3)

04. An unpolarised light beam strikes a glass surface at Brewster's angle. Then

- (1) both the reflected light will be completely polarised
 (2) the reflected light will be completely polarised but the refracted light will be partially polarised
 (3) the reflected light will be partially polarised
 (4) the refracted light will be completely polarised

Ans. (2)

05. In an ideal transformer, the turns ratio is

$$\frac{N_p}{N_s} = \frac{1}{2}$$

The ratio $V_s : V_p$ is equal to (the symbols carry their usual meaning) :

- (1) 1 : 1 (2) 1 : 4
(3) 1 : 2 (4) 2 : 1

Ans. (4)

06. A logic circuit provides the output Y as per the following truth table

A	B	Y
0	0	1
0	1	0
1	0	1
1	1	0

The expression for the output Y is

- (1) \bar{B} (2) B
(3) $A \cdot B + \bar{A}$ (4) $A \cdot \bar{B} + \bar{A}$

Ans. (1)

07. In a vernier callipers (N+1) divisions of vernier scale coincide with N divisions of main scale. If 1 MSD represents 0.1 mm, the vernier constant in (cm) is

- (1) 100 N (2) $10(N+1)$
(3) $\frac{1}{10N}$ (4) $\frac{1}{100(N+1)}$

Ans. (4)


08. The maximum elongation of a steel wire of 1 m length if the elastic limit of steel and its Young's modulus, respectively, are $8 \times 10^8 \text{ N m}^{-2}$ and $2 \times 10^{11} \text{ N m}^{-2}$ is

- (1) 40mm (2) 8mm
(3) 4 mm (4) 0.4mm

Ans. (3)

09. A horizontal force 10 N is applied to a block A as shown in figure. The mass of blocks A and B are 2 kg and 3 kg, respectively. The blocks slide over a frictionless surface. The force exerted by

blocks A on block B is




- (1) 6 N (2) 10 N
(3) Zero (4) 4 N

Ans. (1)

10. If the monochromatic source in Young's double slit experiment is replaced by white light, then
(1) there will be a central bright white fringe surrounded by a few coloured fringes
(2) all bright fringes will be of equal width
(3) interference pattern will disappear
(4) there will be central dark fringe surrounded by a few coloured fringes


Ans. (1)

11. The graph which shows the variation of $\left(\frac{1}{\lambda^2}\right)$ and its kinetic energy, E is (where λ is de Broglie wavelength of a free particle) :




Ans. (2)

12. If the following circuit, the equivalent capacitance between terminal B is



- (1) $0.5\mu\text{F}$ (2) $4\mu\text{F}$
 (3) $2\mu\text{F}$ (4) $1\mu\text{F}$

Ans. (3)




In the above diagram, a strong bar magnet is moving towards solenoids -2 from solenoids -1. The direction of induced current in solenoid -1 and that in solenoid -2, respectively, are through the directions :

- (1) AB and CD (2) BA and DC
 (3) AB and DC (4) BA and CD

Ans. (3)

14. Consider the following statements A and B are identify the correct answer :




A. For a solar -cell, the I-V characteristics lies in the IV quadrant of the given graph

B. In a reverse biased pn junction diode, the current measured in (μA), is due to majority charge carriers

- (1) Both A and B are correct
 (2) Both A and B are incorrect
 (3) A is correct but B is incorrect
 (4) A is incorrect but B is correct

Ans. (3)

15. A light ray enters through a right angled prism at point P with the angle of incidence 30° as shown in figure. It travels through the prism parallel to its base BC and emerges along the face AC. The refractive index of the prism is



- (1) $\frac{\sqrt{3}}{4}$ (2) $\frac{\sqrt{3}}{2}$
 (3) $\frac{\sqrt{5}}{4}$ (4) $\frac{\sqrt{5}}{2}$

Ans. (4)

16. Given below are two statements : on labelled as Assertion A and the other is labelled as Reason R.

Assertion A : The potential (V) at any axial point at 2 m distance (r) from the centre of the dipole of dipole moment vector \vec{p} of magnitude $4 \times 10^{-6} \text{Cm}, \pm 9 \times 10^3 \text{V}$

(Take $\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{SI units}$)

Reason : $V = \pm \frac{2P}{4\pi\epsilon_0 r^2}$, where r is the distance

of any axial point, situated at 2m from the centre of the dipole

In the light of the above statemetns, choose the correct answer from the option given below


- (1) Both (A) and (R) are true and R is the correct explanation of (A)
 (2) Both (A) and (R) are true but R is not the correct explanation of (A)
 (3) (A) is true but (R) is false
 (4) (A) is false but (R) is true.

Ans. (3)

17. The moment of inertia of a thin rod about an axis passing through its mid point and perpendicular to the rod is 2400 gcm^2 . The length of the 400 g rod is nearly
- (1) 20.7 cm (2) 72.0 cm
 (3) 8.5 cm (4) 17.5 cm

Ans. (3)

18. The terminal voltage of the battery, whose emf 10 V and internal resistance 1Ω , when connected through an external resistance of 4Ω are shown in the figure is



- (1) 8 V (2) 10 V
 (3) 4 V (4) 6 V

Ans. (1)

19. Match List I with List II

List I (Spectral Lines of Hydrogen for transitions from	List II (Wavelength (nm))
--	------------------------------

- | | |
|---------------------------|--------------|
| A. $n_2 = 3$ to $n_1 = 2$ | I. 410.2 |
| B. $n_2 = 4$ to $n_1 = 2$ | II. 434.1 |
| C. $n_2 = 5$ to $n_1 = 2$ | III. 656.3 |
| D. $n_2 = 6$ to $n_1 = 2$ | IV. 486.1 |

Choose the correct answer from the option given below

- (1) A-IV, B-III, C-I, D-II
 (2) A-I, B-I, C-III, D-IV
 (3) A-II, B-I, C-IV, D-III
 (4) A-III, B-IV, C-II, D-I


Ans. (4)

20. If c is the velocity of light in free space, the correct statement about photon among the following are :

- A. The energy of a photon is $E = hv$
 B. The velocity of a photon is c .
 C. The momentum of a photon, $p = \frac{hv}{c}$
 D. In a photon- electron collision, both total energy and total momentum are conserved
 E. Photon possesses positive charge
 Choose the correct answer from the option given below

- (1) A, C and D only
 (2) A, B, C and E only
 (3) A and B only
 (4) A, B, C, and D only

Ans. (4)



In the nuclear emission stated above, the mass number and atomic number of the product Q respectively are :

- (1) 288.82 (2) 286.81
 (3) 280.81 (4) 286.80


Ans. (2)

22. At any instant of time t , the displacement of any particle is given by $2t-1$ (SI unit) under the influence of force of 5 N . The value of instantaneous power is (in SI unit)

- (1) 7 (2) 6
 (3) 10 (4) 5

Ans. (3)

23. The output (Y) of the given logic gate is similar to the output of an/a :



- (1) OR gate (2) AND gate
 (3) NAND gate (4) NOR gate

Ans. (2)

24. The mass of a planet is $\frac{1}{10}$ th that of the earth and its diameter is half that of the earth. The acceleration due to gravity on that planet is :

- (1) 4.9 ms^{-2} (2) 3.92 ms^{-2}
 (3) 19.6 ms^{-2} (4) 9.8 ms^{-2}

Ans. (2)

25. Given below are two statements

Statement I : Atoms are electrically neutral as they contain equal number of positive and negative charges


Statement II : Atoms of each element are stable and emit their characteristics spectrum

In the light of the above statements, choose the most appropriate answer from the option given below

- (1) If both statements are true and statement II is the correct explanation of statement I
 (2) If both statements are true but statement II is not the correct explanation of statement I
 (3) If statement I is true but statement II is false
 (4) If statement I is false but statement II is true

Ans. (3)

26. A wheel of a bullock cart is rolling on a level road as shown in the figure below. If its linear speed is v in the direction shown, which one of the following options is correct (P and Q are any highest and lowest points on the wheel, respectively)



- (1) Both the points P and Q move with equal speed
 (2) Point P has zero speed
 (3) Point Q moves slower than point P
 (4) Point P moves faster than point Q.

Ans. (4)

27. A particle moving with uniform speed in a circular path maintains

- (1) constant velocity but varying acceleration
 (2) varying velocity and varying acceleration
 (3) constant velocity
 (4) constant acceleration


Ans. (2)

28. A thin flat circular disc of radius 4.5 cm is placed gently over the surface of water. If surface tension of water is 0.07 Nm^{-1} , then the excess forces required to take it away from the surface is

- (1) 1.98 mN (2) 99 N
 (3) 19.8 mN (4) 198 N

Ans. (3)

29. In a uniform magnetic field of 0.049 T, a magnetic needle performs 20 complete oscillations in 5 seconds as shown. The moment of inertia of the needle is $9.8 \times 10^{-6} \text{ kg m}^2$. If the magnitude of magnetic moment of the needle is $x \times 10^{-5} \text{ Am}^2$ then the value of 'x' is :



- (1) $50\pi^2$ $50\pi^2$ (2) $1280\pi^2$
 (3) $5\pi^2$ (4) $128\pi^2$

Ans. (2)

30. Two bodies A and B of same mass undergo completely inelastic one dimensional collision. The body A moves with velocity v_1 while body B is at rest before collision. The velocity of the system after collision is v_2 . The ratio $v_1 : v_2$ is
- (1) 4 : 1 (2) 1 : 4
 (3) 1 : 2 (4) 2 : 1

Ans. (4)

31. If $x = 5 \sin\left(\pi t + \frac{\pi}{3}\right)$ m represents the motion of a particle executing simple harmonic motion, the amplitude and time period motion, respectively are :
- (1) 5cm, 1s (2) 5m, 1s
 (3) 5cm, 2s (4) 5m, 2s


Ans. (4)

32. The quantities which have the same dimensions as those of solid angle are
- (1) strain and arc
 (2) angular speed and stress
 (3) strain and angle
 (4) stress and angle

Ans. (3)

33. A thin spherical shell is charged by some source. The potential difference between the two points C and P in (in V) shown in the figure is

(take $\frac{1}{4\pi\epsilon_0} = 9 \times 10^9$ SI units)



- (1) 0.5×10^5 (2) zero
 (3) 3×10^5 (4) 1×10^5

Ans. (2)

34. A bob is whirled in a horizontal plane by means of a string with an initial speed of ω rpm. The tension in the string is T. If speed becomes 2ω while keeping the same radius, the tension in the string becomes
- (1) $\frac{T}{4}$ (2) $\sqrt{2}T$
 (3) T (4) 4T


Ans. (4)

35. A wire of length ℓ and resistance 100Ω is divided into 10 equal parts. The first 5 parts are connected in series while the next 5 parts are connected in parallel. The two combination are again connected in series. The resistance of this final combination is
- (1) 55Ω (2) 60Ω
 (3) 60Ω (4) 52Ω

Ans. (4)

SECTION - B

36. The following graph represents the T-V curves of an ideal gas (where T is the temperature and v the volume) at three pressure P_1, P_2 are P_3 the volume) at three pressure P_1, P_2 are P_3 compared with those of Charles's law represented as dotted lines



- (1) $P_2 > P_1 > P_3$
 (2) $P_1 > P_2 > P_3$
 (3) $P_3 > P_2 > P_1$
 (4) $P_1 > P_3 > P_2$

Ans. (2)

37. A parallel plate capacitor is charged by connecting in to a battery through a resistor. If I is the current in the circuit, then in the gap between the plates

- (1) displacement current of magnitude equal to I flows a direction opposite ot that of I .
- (2) displacement current of magnitude grater than I flows but can be in any direction
- (3) there is no current
- (4) displacement current of magnitude equal to I flows in the the same direction I


Ans. (4)

38. The property which is not of an electromagnetic wave travelling in free space is that

- (1) They travel with a speed equal to $\frac{1}{\sqrt{\mu_0 \epsilon_0}}$
- (2) they originate from charges moving with uniform speed
- (3) they are traverse in nature
- (4) the energy density in electric field is equal to energy density in magnetic field

Ans. (2)

39. Choose the correct circuit which can achieve the bridge balance



Ans. (3)

40. If the plates of a parallel plate capacitor connected to a battery are moved close to each other, then

- A. the charge stored in it, increases
- B. the energy stored in it, decreases
- C. Its capacitance increases
- D. the rato of charge to its potenital remains the same
- D. the ratio of charge to its potenital remains the same

E. The product of charge and voltage increases
Choose the most appropriate answer from the option given below

- (1) B, D and E only
- (2) A, B and C only
- (3) A, B and E only
- (4) A, C and E only

Ans. (4)

41. A force defined by $F = \alpha t^2 + \beta t$ acts on a particle at given time t . The factor which is dimensionless, if α and β are constants, is

- (1) $\alpha\beta t$
- (2) $\frac{\alpha\beta}{t}$
- (3) $\frac{\beta t}{\alpha}$
- (4) $\frac{\alpha t}{\beta}$

Ans. (4)

42. A metallic bar of Young;s modules $0.5 \times 10^{11} \text{ Nm}^{-2}$ and coefficient of linear thermal expansion $10^{-5} \text{ }^\circ\text{C}^{-1}$ length 1 m and area of cross-section 10^{-3} m^2 is heated from 0°C to 100°C without expansion or bending. The compressive force developed in it is

- (1) $100 \times 10^3 \text{ N}$
- (2) $2 \times 10^3 \text{ N}$
- (3) $5 \times 10^3 \text{ N}$
- (4) $50 \times 10^3 \text{ N}$

Ans. (4)

43. A small telescope has an objective of focal length 140 cm and an eye piece of focal length 5.0 cm. The magnifying power of telescope for viewing a distant object is

50. A sheet is placed on a horizontal surface in front of a strong magnetic pole. A force is needed to
- A. hold the sheet there if it is magnetic
 - B. hold the sheet there if it is non-magnetic
 - C. move the sheet away from the pole with uniform velocity if it is conducting
 - D. move the sheet away from the pole with uniform velocity if it is both, non-conducting and non-polar

Choose the correct statements (s) from the option given below

- (1) A, C and D only
- (2) C only
- (3) B and D only
- (4) A and C only

Ans. (4)

SECTION - A

51. Match List I with List II.

List I (Conversion)	List II (Number of Faraday required)
(A) 1 mole of H_2O to O_2	I. 3F
(B) 1 Mole of MnO_4^- to Mn^{2+}	II. 2F
(C) 1.5 mole of Ca from molten $CaCl_2$	III. 1F
(D) 1 mol of FeO to Fe_2O_3	IV. 5F

Choose the correct answer from the options given below :

- (1) A - II, B - III, C - I, D - IV
- (2) A - III, B - IV, C - II, D - I
- (3) A - II, B - IV, C - I, D - III
- (4) A - III, B - IV, C - I, D - II




Ans. (3)

52. Which reaction is NOT a redox reaction ?

- (1) $H_2 + Cl_2 \rightarrow 2HCl$
- (2) $BaCl_2 + Na_2SO_4 \rightarrow BaSO_4 + 3NaCl$
- (3) $Zn + CuCO_4 \rightarrow ZnSO_4 + Cu$
- (4) $2KClO + I_2 \rightarrow 2KIO_3 + Cl_2$

Ans. (2)

53. Intramolecular hydrogen bonding is present in



Ans. (3)

54. Fehling's solution 'A' is
- (1) alkaline solution of sodium potassium tarterate (Rochelle's salt)
 - (2) aqueous sodium citrate
 - (3) aqueous copper sulphate
 - (4) alkaline copper sulphate

Ans. (3)

55. 1 gram of sodium hydroxide was treated with 25 mL of 0.75 M HCl solution, the mass of sodium hydroxide left unreacted is equal to
- (1) zero mg
 - (2) 200 mg
 - (3) 750 mg
 - (4) 250 mg

Ans. (4)

56. Match List I with List II .

List I (compound)	List II (shape/geometry)
(A). NH_3	I. Trigonal Pyramidal
(B) BrF_5	II. Square Planar
(C) XeF_4	III. Octahedral
D. SF_6	IV. Square Pyramidal

Choose the answer from the options given below

- (1) A - III, B - IV, C - I, D - II
- (2) A - II, B - III, C - IV, D - I
- (3) A - I, B - IV, C - II, D - III
- (4) A - II, B - IV, C - III, D - I

Ans. (3)

57. The E° Value for the Mn^{3+}/Mn^{2+} couple is more positive than that of Cr^{3+}/Cr^{2+} or Fe^{3+}/Fe^{2+} due to change of

- (1) d^4 to d^5 configuration
- (2) d^3 to d^5 configuration
- (3) d^5 to d^4 configuration
- (4) d^5 to d^2 configuration

Ans. (1)

58. Match List I with List II.

List I (Process)	List II (Conditions)
(A) Isothermal process	I. No heat exchange
(B) Isochoric process	II. Carries out at constant temperature

H₂O is expected to have lower boiling point than the other members of the group but due to the presence of extensive H-bonding in H₂O, it has higher boiling point.

In the light of the above statements, choose the correct answer from the options given below :

- (1) Statement I is true but statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both the statement I and Statement II are false

Ans. (3)

66. Match List I with List II.






List I	List II
Quantum Number	Information provided
A. m _l	I. shape of orbital
B. m _s	II. size of orbital
C. l	III. orientation of orbital
D. n	IV. orientation of spin of electron.

Choose the correct answer from the options given below :

- (1) A - III, B - IV, C - II, D - I
- (2) A - II, B - I, C - IV, D - III
- (3) A - I, B - III, C - II, D - IV
- (4) A - III, B - IV, C - I, D - II

Ans. (4)

67. Match List I with List II.


List I (Reaction)	List II (Reagent/condition)
A. 	I.  Anhyd. AlCl ₃
B. 	II. CrO ₃
C. 	III. KMnO ₄ /KOH, Δ
D. 	IV. (i) O ₃ (ii) Zn - H ₂ O

Choose the correct answer from the options given below :

- (1) A - IV, B - I, C - II, D - III
- (2) A - I, B - IV, C - II, D - III
- (3) A - IV, B - I, C - III, D - II
- (4) A - III, B - I, C - II, D - IV

Ans. (1)

68. Identify the correct reagents that would bring about the following transformation



- (1) (i) BH₃ (ii) H₂O₂/[⊖]O⁻H
- (ii) alk. KMnO₄
- (iv) H₃O[⊕]
- (2) (i) H₂O/H⁺ (ii) PCC
- (3) (i) H₂O/H⁺ (ii) CrO₃
- (4) (i) BH₃ (ii) H₂O₂/[⊖]O⁻H

Ans. (4)

69. The reagents with which glucose does not react to give the corresponding test/products are

- A. Tollen's reagent
- B. Schiff's reagent
- C. HCN
- D. NH₂OH
- E. NaHSO₃

Choose the correct options from the given below

- (1) B and E
- (2) E and D
- (2) B and C
- (4) A and D

Ans. (1)

70. Match List I with List II.

List I (molecule)	List - II (Number and types of bonds between two carbon atoms)
A. ethane	I. one σ-bond and two π-bonds
B. ethen	II. two π-bonds
C. carbon molecule, O ₂	III. one σ-bond
D. ethyne	IV. one σ-bond and one π-bond

Choose the correct answer from the options given below.

- (1) A - III, B - IV, C - II, D - I
 (2) A - III, B - IV, C - I, D - II
 (3) A - I, B - IV, C - II, D - III
 (4) A - IV, B - III, C - II, D - I


Ans. (1)

71. Among Group 16 elements, which one does NOT show - 2 oxidation state ?

- (1) Te (2) Po
 (2) O (4) Se

Ans. (2)

72. For the reaction




given time, the composition of reaction mixture is $[A] = [B] = [C] = 2 \times 10^{-3} \text{ M}$.

Then, which of the following is correct ?

- (1) Reaction has a tendency to go in backward direction
 (2) Reaction has gone to completion in forward direction
 (3) Reaction is at equilibrium
 (4) Reaction has a tendency to go in forward direction

Ans. (1)

73. Which plot of $\ln k$ vs $1/T$ is consistent with Arrhenius equation ?



Ans. (2)

74. In which of the following equilibria, K_p and K_c are NOT equal ?

- (1) $\text{CO}_{(g)} + \text{H}_2\text{O}_{(g)} \rightleftharpoons \text{CO}_{2(g)} + \text{H}_2(g)$
 (2) $2 \text{BrCl}_{(g)} \rightleftharpoons \text{Br}_{2(g)} + \text{Cl}_{2(g)}$
 (3) $\text{PCl}_{5(g)} \rightleftharpoons \text{PCl}_{3(g)} + \text{Cl}_{2(g)}$
 (4) $\text{H}_{2(g)} + \text{I}_{2(g)} \rightleftharpoons 2 \text{HI}_{(g)}$

Ans. (3)

75. Given below are two statements :

Statement - I : The boiling points of three isomeric pentanes follows the order

n - pentane > isopentane > neopentane



Statement II : When branching increases, the molecules attain a shape of sphere. This results in smaller surface area for contact, due to which intermolecular forces between the spherical molecules are weak, thereby lowering the boiling point.

In the light of the above statement, choose the most appropriate answer from the options given below :

- (1) Statement I is true but statement II is false
 (2) Statement I is false but Statement II is true
 (3) Both Statement I and Statement II are true
 (4) Both statement I and Statement II are false

Ans. (3)

76. The compound that will undergo S_N1 reaction with the fastest rate is





Ans. (2)

77. The energy of an electron in the ground state ($n = 1$) for He ion is $-x$ J, then that for an electron in $n = 2$ state for Be^{3+} ion in J is :



(1) $-4x$ (2) $-\frac{4}{9}x$

(2) $-x$ (4) $-\frac{x}{9}$

Ans. (3)

78. In which of the following process entropy increase ?

- (A) A liquid evaporates to vapour
 (B) Temperature of a crystalline solid lowered from 130 K to 0 K



Choose the correct answer from the options given below :

- (1) A, C and D (2) C and D
 (3) A and C (4) A, B and D

Ans. (1)

79. On heating some solid substances change from solid to vapour state without passing through liquid state. The technique used for the purification of such solid substances based on the above principle is known as

- (1) Distillation (2) Chromatography
 (3) Crystallization (4) Sublimation

Ans. (4)

80. Match List I with List II

- List I (complex) List II (Type of isomerism)

- A. $[\text{Co}(\text{NH}_3)_5(\text{NO}_2)]\text{Cl}_2$ I. Solvate isomerism
 B. $[\text{Co}(\text{NH}_3)_5(\text{SO}_4)]\text{Br}$ II. Linkage isomerism
 C. $[\text{Co}(\text{NH}_3)_6] [\text{Cr}(\text{CN})_6]$ III. Ionization isomerism
 D. $[\text{Co}(\text{H}_2\text{O})_6]\text{Cl}_3$ IV. Coordination isomerism

Choose the correct answer from the options given below :

- (1) A - I, B - IV, C - III, D - II
 (2) A - II, B - IV, C - III, D - I
 (3) A - II, B - III, C - IV, D - I
 (4) A - I, B - III, C - IV, D - II

Ans. (3)

81. Given below are two statements :

Statement I : Aniline does not undergo Friedel Crafts alkylation reaction

Statement II : Aniline cannot be prepared through Gabriel synthesis

In the light of above statements, choose the correct answer from the option given below :

- ((1) Statement I is true but statement II is false
 (2) Statement I is false but Statement II is true
 (3) Both Statement I and Statement II are true
 (4) Both the statements I and Statement II are false

Ans. (3)

82. Arrange the following elements in increasing order of first ionization enthalpy :

Li, Be, B, C, N

Choose the correct answer from the options given below :

- (1) $\text{Li} < \text{Be} < \text{C} < \text{B} < \text{N}$
 (2) $\text{Li} < \text{Be} < \text{N} < \text{B} < \text{C}$
 (3) $\text{Li} < \text{Be} < \text{B} < \text{C} < \text{N}$
 (4) $\text{Li} < \text{B} < \text{Be} < \text{C} < \text{N}$


Ans. (4)

83. The highest number of helium atoms is in

- (1) 4 g of helium
 (2) 2.271098 L of helium at STP
 (3) 4 mol of helium
 (4) 4 u of helium

Ans. (3)

84. The most stable carbocation among the following is :



Ans. (2)

85. The Henry's law constant (K_H) values of three gases (A, B, C) in water are 145, 2×10^{-5} and 35 kbar, respectively. The solubility of these gases in water follow the order :

- (1) $A > C > B$ (2) $A > B > C$
 (3) $B > A > C$ (4) $B > C > A$

Ans. (4)

SECTION - B

86. A compound X contain 32% of A. 20% of B and remaining percentage of C. Then, the empirical formula of X is :(Given atomic masses of A = 64 = B 40; C = 32 u)

- (1) AB_2C_2 (2) ABC_4
 (3) A_2BC_2 (4) ABC_3

Ans. (4)

87. The products A and B obtained in the following reactions, respectively, are
 $3ROH + PCl_3 \rightarrow 3RCl + A$
 $ROH + PCl_5 \rightarrow RCl + HCl + B$

- (1) H_3PO_4 and $POCl_3$
 (2) H_3PO_3 and $POCl_3$
 (3) $POCl_3$ and H_3PO_3
 (4) $POCl_3$ and H_3PO_4


Ans. (2)

88. The plot of osmotic pressure (Π) vs concentration (mol L^{-1}) for a solution gives a straight line with slope $25.73 \text{ L bar mol}^{-1}$. The temperature at the osmotic pressure measurement is done is :(Use $R = 0.083 \text{ L bar mol}^{-1} \text{ K}^{-1}$)


- (1) 25.73°C (2) 12.05°
 (3) 37°C (4) 310°C

Ans. (3)

89. For the given reaction



'P' is



Ans. (4)

90. Given below are two statements :

Statement I : $[\text{Co}(\text{NH}_3)_6]^{3+}$ is a homoleptic complex where as $[\text{Co}(\text{NH}_3)_4\text{Cl}_2]^{3+}$ is a heteroleptic complex.

Statement II : Complex $[\text{Co}(\text{NH}_3)_6]^{3+}$ has only one kind of ligands but $[\text{Co}(\text{NH}_3)_4\text{Cl}_2]^{3+}$ has more than one kind of ligands.

In the light of the above statements, choose the correct answer from the options given below
 (1) Statement I is true but statement II is false
 (2) Statement I is false but Statement II is true
 (3) Both Statement I and Statement II are true
 (4) Both Statement I and Statement II are false

Ans. (3)

91. During the preparation of Mohr's salt solution (Ferrous ammonium sulphate), which of the following acid is added to prevent hydrolysis of Fe^{2+} ion ?
- (1) dilute nitric acid
 - (2) dilute sulphuric acid
 - (3) dilute hydrochloric acid
 - (4) concentrated sulphuric acid

Ans. (2)

92. Identify the correct answer :
- (1) Dipole moment of NF_3 is greater than that of NH_3
 - (2) Three canonical forms can be drawn from CO_3^{2-} ions
 - (3) Three resonance structures can be drawn from ozone
 - (4) BF_3 has non-zero dipole moment

Ans. (2)


93. Given below are certain cations. Using inorganic qualitative analysis, arrange them in increasing group number from 0 to VI.
- | | |
|---------------------|---------------------|
| A. Al^{3+} | B. Cu^{2+} |
| C. Ba^{2+} | D. Co^{2+} |
| E. Mg^{2+} | |

Choose the correct answer from the options given below:

- | | |
|-------------------|-------------------|
| (1) E, C, D, B, A | (2) E, A, B, C, D |
| (3) B, A, D, C, E | (4) B, C, A, D, E |

Ans. (3)

94. Identify the major product C formed in the following reaction sequence :



- | | |
|---------------------|----------------------------------|
| (1) butanamide acid | (2) α -bromobutanoic acid |
| (3) propylamine | (4) butylamine |

Ans. (3)

95. The rate of a reaction quadruples when temperature changes from 27°C to 57°C . Calculate the energy of activation.


Given $R = 8.314 \text{ J K}^{-1} \text{ mol}^{-1}$, $\log 4 = 0.6021$

- | | |
|------------------|-----------------|
| (1) 3.80 kJ/mol | (2) 3804 kJ/mol |
| (3) 38.04 kJ/mol | (4) 38.4 kJ/mol |

Ans. (3)

96. Consider the following reaction in a sealed vessel at equilibrium with concentrations of

$\text{N}_2 = 3.0 \times 10^{-3} \text{ M}$, $\text{O}_2 = 4.2 \times 10^{-3} \text{ M}$ and $\text{NO} = 2.8 \times 10^{-3} \text{ M}$.



If 0.1 mol L^{-1} of $\text{NO}_{(g)}$ is taken in a closed vessel, what will be degree of dissociation (α) of $\text{NO}_{(g)}$ at equilibrium?

- | | |
|-------------|------------|
| (1) 0.8889 | (2) 0.717 |
| (2) 0.00889 | (4) 0.0889 |

Ans. (2)

97. The work done during reversible isothermal expansion of one mole of hydrogen gas at 25°C from pressure of 20 atmosphere to 10 atmosphere is

(Given $R = 2.0 \text{ cal K}^{-1} \text{ mol}^{-1}$)

- (1) 4.13.14 calories
- (2) 100 calories
- (3) 0 calorie
- (4) -413.4 calories

Ans. (4)

98. Mass in grams of copper deposited by passing 9.6487 A current through a voltmeter containing copper sulphate solution for 100 seconds is


(given : Molar mass of $\text{Cu} : 63 \text{ g mol}^{-1}$)

$1 \text{ F} = 96487 \text{ C}$

- | | |
|------------|--------------|
| (1) 31.5g | (2) 0.0315 g |
| (3) 3.15 g | (4) 0.315 g |

Ans. (4)

99. Major products A and B formed in the following sequence, are



Ans. (3)

100. The pair of lanthanoid ions which are diamagnetic is

- (1) Gd^{3+} and Eu^{3+}
- (2) Pm^{3+} and Sm^{3+}
- (3) Ce^{4+} and Yb^{2+}
- (4) Ce^{3+} and Eu^{2+}

Ans. (3)

BIOME

specialization.

E. Tropical environments are constant and predictable.

Choose the correct answer from the options given below :

- (1) A, B and E only (2) A, B and D only
 (3) A, C, D and E only (4) A and B only

Ans. (3)

110. Which one of the following is not a criterion for classification of fungi ?

- (1) More of spore formation
 (2) Fruiting body
 (3) Morphology of mycelium
 (4) Mode of nutrition

Ans. (4)

111. How many molecules of ATP and NADPH are required for every molecule of CO_2 fixed in the Calvin cycle ?

- (1) 3 molecules of ATP and 3 molecules of NADPH
 (2) 3 molecules of ATP and 2 molecules of NADPH
 (3) 2 molecules of ATP and 3 molecules of NADPH
 (4) 2 molecules of ATP and 2 molecules of NADPH

Ans. (2)

112. These are regarded as major caused of biodiversity loss :

- A. Over exploitation
 B. Co-extinction
 C. Mutation
 D. Habitat loss and fragmentation
 E. Migration

Choose the correct option:

- (1) A, B and E only (2) A, B and D only
 (3) A, C and D only (4) A, B, C and D only

Ans. (2)

113. The capacity of generate a whole plant from any cell of the plant is called :

- (1) Differentiation (2) Somatic hybridization
 (3) Totipotency (4) Micropropagation

Ans. (3)

114. The equation of Verhulst-Pearl logistic growth

$$\text{is } \frac{dN}{dt} = rN \left[\frac{K - N}{K} \right].$$

From this equation, K indicates :

- (1) Carrying capacity
 (2) Population density
 (3) Intrinsic rate of natural increase
 (4) Biotic potential


Ans. (1)

115. Spindle fibers attach to kinetochores of chromosomes during

- (1) Anaphase (2) Telophase
 (3) Prophase (4) Metaphase

Ans. (4)

116. Identify the type of flowers based on the position of calyx, corolla and androecium with respect to the ovary from the given figures (a) and (b)



- (1) (a) Perigynous; (b) Epigynous
 (2) (a) Perigynous; (b) Perigynous
 (3) (a) Epigynous; (b) Hypogynous
 (4) (a) Hypogynous; (b) Epigynous

Ans. (2)

117. Match List I with List II

List I

- A. Rhizopus
 B. Ustilago
 C. Puccinia
 D. Agaricus

List II

- I. Mushroom
 II. Smut mould
 III. Bread mould
 IV. Rust fungus

Choose the correct answer from the options given below :

- (1) A-III, B-II, C-I, D-IV
 (2) A-IV, B-III, C-II, D-I
 (3) A-III, B-II, C-IV, D-I
 (4) A-I, B-III, C-II, D-IV

Ans. (3)

118. In a plant, black seed color (BB/bb) is dominant over white seed color (bb). In order to find out the genotype of the black seed plant, with which of the following genotype will you cross it ?

- (1) Bb (2) BB/bb
(3) BB (4) bb

Ans. (4)

119. A pink flowered Snapdragon plant was crossed with a red flowered Snapdragon plant. What type of phenotype/s is are expected in the progeny ?

- (1) Only pink flowered plants
(2) Red, Pink as well as white flowered plants
(3) Only red flowered plants
(4) Red flowered as well as pink flowered plants

Ans. (4)

120. Match List I with List II

List I		List II	
A.	Two or more alternative forms of a gene	I.	Back cross
B.	Cross of F ₁ progeny with homozygous recessive parent	II.	Ploidy
C.	Cross of F ₁ progeny with any of the parents	III.	Allele
D.	Number of chromosome sets in plant	IV.	Test cross

- (1) A-III, B-IV, C-I, D-II
(2) A-IV, B-III, C-II, D-I
(3) A-I, B-II, C-II, D-IV
(4) A-II, B-I, C-II, D-IV

Ans. (1)

121. Lecithin, a small molecular weight organic compound found in living tissues, is an example of :

- (1) Glycerides (2) Carbohydrates
(3) Amino acids (4) Phospholipids

Ans. (4)

122. Match List I with List II


List I		List II	
A.	Clostridium butylicum	I.	Ethanol
B.	Saccharomyces cerevisiae	II.	Streptokinase
C.	Trichoderma polysporum	III.	Butyric acid
D.	Streptococcus sp.	IV.	Cyclosporin-A

Choose the correct answer from the options given below :

- (1) A-III, B-I, C-IV, D-II
(2) A-IV, B-I, C-II, D-IV
(3) A-III, B-I, C-II, D-IV
(4) A-II, B-IV, C-III, D-I

Ans. (1)

123. In the given figure, which component has thin outer walls and highly thickened inner walls ?



- (1) A (2) B
(3) C (4) D

Ans. (3)

124. Which of the following is an example of actinomorphic flower ?

- (1) Pisum (2) Sesbania
(3) Datura (4) Cassia

Ans. (3)

125. A transcription unit in DNA is defined primarily by the three regions in DNA and these are with respect to upstream and down stream end;

- (1) Inducer, Repressor, Structural gene
(2) Promotor, Structural gene, Terminator
(3) Repressor, Operator gene, Structural gene
(4) Structural gene, Transposons, Operator gene

Ans. (2)

126. What is the fate of a piece of DNA carrying one gene of interest which is transferred into an alien organism ?

- A. The piece of DNA would be able to multiply itself independently in the progeny cells the organism.
- B. It may get integrated into the genome of recipient.
- C. It may multiply and be inherited along with the host DNA.
- D. The alien piece of DNA is not an integration part of chromosome.
- E. It shows ability to replicate.

Choose the correct answer from the options given below :

- (1) B and C only (2) A and E only
- (3) A and B only (4) D and E only

Ans. (1)

127. Auxin is used by gardeners to prepare weed-free lawns. But no damage is caused to grass as auxin.

- (1) does not affect mature monocotyledonous plants.
- (2) can help in cells division in grasses, produce growth
- (3) promotes apical dominance
- (4) promotes abscission of mature leaves only

Ans. (1)

128. The cofactor of the enzyme carboxypeptidase is

- (1) Flavin (2) Haem
- (3) Zinc (4) Niacin

Ans. (3)

129. The lactose present in the growth medium of bacteria is transported to the cell by the action of

- (1) Permease (2) Polymerase
- (3) Beta-galactosidase (4) Acetylase

Ans. (1)

130. Which one of the following can be explained on the basis of Mendel's Law of Dominance ?

- A. Out of one pair of factors one is dominant and the other is recessive.
- B. Alleles do not show any expression and both

the characters appear as such in F_2 generation.

C. Factors occur in pairs in normal diploid plants.

D. The discrete unit controlling a particular character is called factor.

E. The expression of only one of the parental character is found in a monohybrid cross.

Choose the correct answer from the options given below :

- (1) B, C and D only (2) A, B, C, D and E
- (3) A, B and C only (4) A, C, D and E only

Ans. (4)

131. Given below are two statements :

Statement I : Bt toxins are insect group specific and coded by a gene *cryIAC*.

Statement II : Bt toxin exists as inactive protoxin in *B. thuringiensis*. However, after ingestion by the insect the inactive protoxin gets converted into active form due to acidic pH of the insect gut.

In the light of the above statements, choose the correct answer from the options given below :

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Ans. (1)

132. Given below are two statements :

Statement I : Parenchyma is living but collenchyma is dead tissue.

Statement II : Gymnosperms lack xylem vessels but presence of xylem vessels is the characteristic of angiosperms.

In the light of the above statement, choose the correct answer from the options given below.

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Ans. (2)

133. Given below are two statements:

Statement I : Chromosomes become gradually visible under light microscope during leptotene stage.

Statement II : The beginning of diplotene stage is recognized by dissolution of synaptonemal complex.

In the light of the above statements, choose the correct answer from the options given below :

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Ans. (3)

134. Match List I and with List II

List I		List II	
A.	Nucleolus	I.	Site of formation of glycolipid
B.	Centriole	II.	Organization like the cartwheel
C.	Leucoplasts	III.	Site for active ribosomal RNA synthesis
D.	Golgi apparatus	IV.	For storing nutrients

Choose the correct answer from the options given below :

- (1) A-III, B-IV, C-II, D-I
- (2) A-I, B-II, C-III, D-IV
- (3) A-III, B-II, C-IV, D-I
- (4) A-II, B-III, C-I, D-IV

Ans. (3)

135. List of endangered species was released by -

- (1) FOAM
- (2) IUCN
- (3) GEAC
- (4) WWF

Ans. (2)

SECTION - B

136. The DNA present in chloroplast is :

- (1) Linear, single stranded
- (2) Circular, single stranded
- (3) Linear, double stranded
- (4) Circular, double stranded

Ans. (4)

137. Which of the following are fused in somatic hybridization involving two varieties of plants

- (1) Protoplast
- (2) Pollens
- (3) Callus
- (4) Somatic embryos

Ans. (1)

138. Identify the correct description about the given figure

- (1) Cleistogamous flowers showing autogamy
- (2) Compact inflorescence showing complete autogamy
- (3) Wind pollinated plant inflorescence showing flowers with well exposed stamens
- (4) Water pollinated flowers showing stamens with mucilaginous covering

Ans. (3)

139. Spraying sugarcane crop with which of the following plant growth regulators, increases the length of stem, thus, increasing the yield?

- (1) Cytokinin
- (2) Abscisic acid
- (3) Auxin
- (4) Gibberellin

Ans. (4)

140. Match List I with List II

- | List I | List II |
|-----------------------|-----------------------------------|
| A. Frederic Griffith | I. Genetic code |
| B. Francis Jacob | II. Semi-conservative mode of DNA |
| C. Har Gobind Khorana | III. Transformation |
| D. Meselson & Stahl | IV. Lac operon |

Choose the correct answer from the options given below :

- (1) A-II, B-III, C-IV, D-I
- (2) A-IV, B-I, C-II, D-III
- (3) A-III, B-II, C-I, D-IV
- (4) A-III, B-IV, C-I, D-II

Ans. (4)

141. Match List I with List II

- | List I | List II |
|------------|-------------------------------------|
| A. GLUT-4 | I. Hormone |
| B. Insulin | II. Enzyme |
| C. Trypsin | III. Intercellular ground substance |

D. Collagen IV. Enables glucose transport into cells

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-III, B-IV, C-I, D-II
- (3) A-IV, B-I, C-II, D-III
- (4) A-I, B-II, C-III, D-IV

Ans. (3)

142. Given below are two statements:

Statement I : In C_3 plants, some O_2 binds RuBis CO, hence CO_2 fixation is decreased.

Statement II : In C_4 plants, mesophyll cell shows very little photorespiration while bundle sheath cells do not show photorespiration.

In the light of the above statement, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Ans. (1)

143. Identify the step in tricarboxylic acid cycle, which does not involve oxidation of substrate

- (1) Succinyl-CoA \rightarrow Succinic acid
- (2) Isocitrate \rightarrow α -ketoglutaric acid
- (3) Malic acid \rightarrow Oxaloacetic acid
- (4) Succinic acid \rightarrow Malic acid

Ans. (1)

144. Match List I with List II

- | List I | List II |
|------------------------------|----------------------------------|
| A. Citric acid cycle | I. Cytoplasm |
| B. Glycolysis | II. Mitochondrial matrix |
| C. Electron transport system | III. Intermembrane space of |
| D. Proton gradient | IV. Inner mitochondrial membrane |

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-IV, B-III, C-II, D-I

(3) A-I, B-II, C-III, D-IV

(4) A-II, B-I, C-IV, D-III

Ans. (4)

145. Which of the following statement is correct regarding the process of replication in E.coli?

- (1) The DNA dependent DNA polymerase catalyses polymerization in $5' \rightarrow 3'$ as well as $3' \rightarrow 5'$ direction
- (2) The DNA dependent DNA polymerase catalyses polymerization in $5' \rightarrow 3'$ direction
- (3) The DNA dependent DNA polymerase catalyses polymerization in one direction that $3' \rightarrow 5'$
- (4) The DNA dependent RNA polymerase catalyses polymerization in one direction that $5' \rightarrow 3'$

Ans. (2)

146. In an ecosystem if the Net Primary Productivity (NPP) of first trophic level is

$100x(\text{kcal m}^{-2})\text{yr}^{-1}$ what would be the GPP (Gross Primary Productivity) of the third trophic level of the same ecosystem?

- (1) $10x(\text{kcal m}^{-2})\text{yr}^{-1}$
- (2) $\frac{100x}{3x}(\text{kcal m}^{-2})\text{yr}^{-1}$
- (3) $\frac{1x}{10}(\text{kcal m}^{-2})\text{yr}^{-1}$
- (4) $x(\text{kcal m}^{-2})\text{yr}^{-1}$

Ans. (4)

147. Match List I with List II

- | List I | List II |
|-----------|---------------------------|
| A. Rose | I. Twisted aestivation |
| B. Pea | II. Perigynous flower |
| C. Cotton | III. Drupe |
| D. Mango | IV. Marginal placentation |

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-II, B-III, C-IV, D-I
- (3) A-II, B-IV, C-I, D-III
- (4) A-I, B-II, C-III, D-IV

Ans. (3)

148. Match List I with List II

List I	List II
A. Robert May	I. Species-Area relationship
B. Alexander von Humboldt	II. Long term ecosystem experimenusing out door plots
C. Paul Ehrlich	III. Global species diversity at about 7 million
D. David Tilman	IV. Rivet popper hypothesis

Choose the correct answer from the options given below:

- (1) A-I, B-III, C-II, D-IV (2) A-III, B-IV, C-II, D-I
(3) A-II, B-III, C-I, D-IV (4) A-III, B-I, C-IV, D-II

Ans. (4)

149. Match List I with List II

List I (Types of Stamens)	List II (Example)
A. Monoadelphous	I. Citrus
B. Diadelphous	II. Pea
C. Polyadelphous	III. Lily
D. Epiphyllous	IV. China-rose

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-IV, D-III (2) A-III, B-I, C-IV, D-II
(3) A-IV, B-II, C-I, D-III (4) A-IV, B-I, C-II, D-III

Ans. (3)

150. Read the following statements and choose the set of correct statements

In the members of Phaeophyceae

- A. Asexual reproduction occurs occurs usually by diflagellate zoospores
- B. Sexual reproduction is by oogamous method only
- C. Stored food is in the form of carbohydrates which is either mannitol or laminarin
- D. The major pigments found are chlorophyll a, c and carotenoids and xanthophyll
- E. Vegetative cells have a cellulosic wall, usually covered on the outside by gelatinous coating of algin

Choose the correct answer from the option given below:

- (1) A, C, D and E only (2) A, B, C and E only
(3) A, B, C and D only (4) B, C, D and E only

Ans. (1)

SECTION - A

151. Match List I with List II

	List I		List II
A.	Typhoid	I.	Fungus
B.	Leishmaniasis	II.	Nematode
C.	Ringworm	III.	Protozoa
D.	Filariasis	IV.	Bacteria

Choose the correct answer from the options given below :

- (1) A-III, B-I, C-IV, D-II
- (2) A-II, B-IV, C-III, D-I
- (3) A-I, B-III, C-II, D-IV
- (4) A-IV, B-III, C-I, D-II

Ans. (4)

152. Match List I with List II

	List I		List II
A.	Non-medicated IUD	I.	Multiload 375
B.	Copper releasing IUD	II.	Progestogens
C.	Hormone releasing	III.	Lippes loop
D.	Implants	IV.	LNG-20

Choose the correct answer from the options given below :

- (1) A-IV, B-I, C-II, D-III
- (2) A-III, B-I, C-IV, D-II
- (3) A-III, B-I, C-II, D-IV
- (4) A-I, B-III, C-IV, D-II

Ans. (2)

153. Given below are two statements :

Statement I : The presence or absence of hymen is not a reliable indicator of virginity.

Statement II : The hymen is torn during the first coitus only.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
- (2) Statement I is false but Statement II is true
- (3) Both Statement I and Statement II are true
- (4) Both Statement I and Statement II are false

Ans. (1)

154. In both sexes of cockroach, a pair of jointed filamentous structures called anal cerci are present on :

- (1) 8th and 9th segment
- (2) 11th segment
- (3) 5th segment
- (4) 10th segment

Ans. (4)

155. Match List I with List II

	List I		List II
A.	Pons	I.	Provides additional space for Neurons, regulates posture and balance
B.	Hypothalamus	II.	Controls respiration and gastric secretions
C.	Medulla	III.	Connects different regions of the brain
D.	Cerebellum	IV.	Neuro secretory cells

Choose the correct answer from the options given below :

- (1) A-I, B-III, C-II, D-IV
- (2) A-II, B-I, C-III, D-IV
- (3) A-II, B-III, C-I, D-IV
- (4) A-III, B-IV, C-II, D-I

Ans. (4)

156. Which of the following is not a steroid hormone?
 (1) Progesterone (2) Glucagon
 (3) Cortisol (4) Testosterone


Ans. (2)

157. Which one is the correct product of DNA dependent RNA polymerase to the given template ?

- 3'TACATGGAAATATCCATTCA5'
 (1) 5'AUGUACCGUUUUAUAGGGAAGU3'
 (2) 5'ATGTACCGTTTATAGGTAAGT3'
 (3) 5'AUGUACCGUUUUAUAGGUAAGU3'
 (4) 5'AUGUAAAGUUUUAUAGGUAAGU3'

Ans. (3)

158. Three types of muscles are given as a, b and c. Identify the correct matching pair along with their location in human body :



- (1) (a) Skeletal - Biceps
 (b) Involuntary - Intestine
 (c) Smooth - Heart
 (2) (a) Involuntary - Nose tip
 (b) Skeletal - Bone
 (c) Cardiac - Heart
 (3) (a) Smooth - Toes
 (b) Skeletal - Legs
 (c) Cardiac - Heart
 (4) (a) Skeletal - Triceps
 (b) Smooth - Stomach
 (c) Cardiac - Heart

Ans. (4)

159. Following are the stages of cell division :

- A. Gap 2 phase
 B. Cytokinesis
 C. Synthesis phase
 D. Karyokinesis
 E. Gap 1 phase

Choose the correct sequence of stages from the options given below :

- (1) B-D-E-A-C (2) E-C-A-D-B
 (3) C-E-D-A-B (4) E-B-D-A-C

Ans. (2)

160. Which of the following are Autoimmune disorders ?

- A. Myasthenia gravis
 B. Rheumatoid arthritis
 C. Muscular dystrophy
 D. Gout
 E. Systemic Lupus Erythematosus (SLE)
 Choose the most appropriate answer from the options given below :

- (1) B, C and E only (2) C, D and E only
 (3) A, B and D only (4) A, B and E only

Ans. (4)

161. Match List I with List II :

- | | |
|-------------|-------------------------|
| List I | List II |
| A. Lipase | I. Peptide bond |
| B. Nuclease | II. Ester bond |
| C. Protease | III. Glycosidic bond |
| D. Amylase | IV. Phosphodiester bond |

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
 (2) A-IV, B-I, C-III, D-II
 (3) A-IV, B-II, C-III, D-I
 (4) A-III, B-II, C-I, D-IV

Ans. (1)

162. The flippers of the Penguins and Dolphins are the example of the

- (1) Convergent evolution
 (2) Divergent evolution
 (3) Adaptive radiation
 (4) Natural selection

Ans. (1)

163. Match List I with List II:

- | | |
|---------------------------------|--|
| List I | List II |
| A. Expiratory capacity | I. Expiratory reserve volume + Tidal volume + Inspiratory reserve volume |
| B. Functional residual capacity | II. Tidal volume + Expiratory reserve volume |
| C. Vital capacity | III. Tidal volume + Inspiratory reserve volume |

D. Inspiratory capacity + Residual volume + Residual volume
IV. Expiratory reserve volume + Residual volume

Choose the correct answer from the options given below:

- (1) A-II, B-I, C-IV, D-III
- (2) A-I, B-III, C-II, D-IV
- (3) A-II, B-IV, C-I, D-III
- (4) A-III, B-II, C-IV, D-I

Ans. (3)

164. Which one of the following factors will not affect the Hardy-Weinberg equilibrium?

- (1) Gene migration
- (2) Constant gene pool
- (3) Genetic recombination
- (4) Genetic drift

Ans. (2)

165. Given below are some stages of human evolution. Arrange them in correct sequence.

(Past to Recent)

- A. Homo hadbillis
- B. Homo sapiens
- C. Homo neanderthalensis
- D. Homo erectus

Choose the correct sequence of human evolution from the option given below:

- (1) C-B-D-A
- (2) A-D-C-B
- (3) D-A-C-B
- (4) B-A-D-C

Ans. (2)

166. Following are the stages of pathway for conduction of an action potential through the heart:

- A. AB bundle
- B. Purkinje fibres
- C. AV node
- D. Bundle branches
- E. SA node

Choose the correct sequence of pathway from the options given below:

- (1) B-D-E-C-A
- (2) E-A-D-B-C
- (3) E-C-A-D-B
- (4) A-E-C-B-D

Ans. (3)

167. Which of the following factors are favourable for the formation of oxyhaemoglobin in alveoli?

- (1) Low pCO_2 and High H^+ concentration
- (2) Low pCO_2 and High temperature
- (3) High pO_2 and High pCO_2
- (4) High pO_2 and Lesser H^+ concentration

Ans. (4)

168. Match List I with List II :

- | List I | List II |
|-------------------------------|--------------------|
| A. α -1 antitrypsin | I. Cotton bollworm |
| B. Cry IAb | II. ADA deficiency |
| C. Cry IAc | III. Emphysema |
| D. Enzyme replacement therapy | IV. Corn borer |

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
- (2) A-II, B-IV, C-I, D-III
- (3) A-II, B-I, C-IV, D-III
- (4) A-III, B-I, C-II, D-IV

Ans. (1)

169. Given below are two statements : one is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: FSH acts upon ovarian follicles in female and Leydig cells in male.

Reason R : Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in male human being.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is true but R is false
- (2) A is false but R is true
- (3) Both A and R are true and R is the correct explanation of A.
- (4) Both A and R are true but R is NOT the correct explanation of A.

Ans. (2)

170. The following diagram showing restriction sites in E.coli cloning vector pBR322. Find the role of 'X' and 'y' genes:

(1) The gene 'X' is for protein involved in replication of Plasmid and 'y' for resistance to antibiotics.

(2) Gene 'X' is responsible for antibiotic resistance.

(3) The gene 'X' is responsible for resistance to antibiotics and 'Y' for protein involved in the replication of plasmid.

(4) The gene 'X' is responsible for controlling the copy number of the linked DNA and 'Y' for protein involved in the replication of plasmid.

Ans. (4)

171. Match List I with List II :

List - I

List - II

A. Cocaine

I. Effective sedative in surgery

B. Heroin

II. Cannabis sativa

C. Morphine

III. Erythroxylyum

D. Marijuana

IV. Papaver somniferum

Choose the correct answer from the option given below :

(1) A - II, B - I, C - III, D - IV

(2) A - III, B - IV, C - I, D - II

(3) A - IV, B - III, C - I, D - I

(4) A - I, B - III, C - II, D - IV

Ans. (2)

172. Consider the following statements :

A. Annelids are true coelomates

B. Poriferans are pseudocoelomates

C. Aschelminthes are acoelomates

D. Platyhelminthes are pseudocoelomates

Choose the correct answer from the option given below :

(1) C only

(2) D only

(3) B only

(4) A only

Ans. (4)

173. Given below are two statements :

Statement I : In the nephron, the descending limb of loop of Henle is impermeable to water and permeable to electrolytes.

Statement - II : The proximal convoluted tubule is lined by simple columnar brush border epithelium and increases the surface area for

In the light of the above statements, choose the correct answer from the options given below :

(1) Statement I is true but statement II is false

(2) Statement I is false but Statement II is true

(3) Both Statement I and Statement II are true

(4) Bothe statemetn I and Statement II are false

Ans. (4)

174. Match List I with List II :

List I

List II

A. Fibrous

I. Adjacent vertebrae, limited movement

B. Cartilaginous

II. Humerus and Pectoral girdle, rotational movement

C. Hinge joints

III. Skull, don't allow any movemen

D. Ball and socket joints

IV. Knee, help in locomation

Choose the correct answer from the options given below :

(1) A - II, B - III, C - I, D - IV

(2) A - III, B - I, C - IV, D - II

(3) A - IV, B - II, C - III, D - I

(4) A - I, B - III, C - II, D - IV

Ans. (2)

175. Which of the following is not a natural / traditional contraceptive method ?

(1) Lactational amenorrhea

(2) vaults

(3) Coitus interruptus

(4) Periodic abstinence

Ans. (2)

176. Match List I with List II :

List I

List II

A. Pleurobrachra

I. Mollusca

B. Radule

II. Ctenophora

C. Stomochord

III. Osteichthyes

D. Air bladder

IV. Hemichordata

Choose the correct answer from the options given below

(1) A - II, B - IV, C - I, D - III

(2) A – IV, B – III, C – II, D – I

(3) A – IV, B – II, C – III, D – I

(4) A – II, B – I, C – IV, D – III

Ans. (4)

177. Match List I with List II :

List I	List II
A. Axoneme	I. Centriole
B. Cartwheel pattern	II. Cilia and flagella pattern
C. Cristar	III. Chromosome
D. Satellite	IV. Mitochondria

Choose the correct answer from the options given below :

(1) A – II, B – IV, C – I, D – III

(2) A – II, B – I, C – IV, D – III

(3) A – IV, B – III, C – II, D – I

(4) A – IV, B – II, C – III, D – I

Ans. (2)

178. Which of the following statements is incorrect ?

(1) Bio – reactors are used to produce smaller scale beacerial cultures

(2) Bio – reactors have an agitator system, an oxygen delivery system and foam control system

(3) A bio – reactor provides optimal growth conditions for achieving the desired product

(4) Most commonly used bio – reactors are of stirring type

Ans. (1)

179. Match List I with List – II

List – I	List – II
(Prophase I)	(specific characters)
A. Diakinesis	I. Synaptonemal complex formation
B. Pachytene	II. Completion of terminalisation of chiasmata
C. Zygotene	III. Chromosomes looks like thin threads
D. Leptotene	IV. Appearance of recombination nodules

Choose the correct answer from the options given below :

(1) A – II, B – IV, C – I, D – III

(2) A – IV, B – III, C – II, D – I

(3) A – IV, B – II, C – III, D – I

(4) A – I, B – II, C – IV, D – III

Ans. (1)

180. Match List I with List – II

List – I	List – II
A. Common cold	I. Plasmodium
B. Haemozoin	II. Typhoid
C. Widal test	III. Rhinoviruses
D. Allergy	IV. Dust mits

Chooes the correct answer from the option given below :

(1) A – III, B – I, C – II, D – IV

(2) A – IV, B – II, C – III, D – I

(3) A – II, B – IV, C – III, D – I

(4) A – I, B – III, C – II, D – IV

Ans. (1)

181. Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R:

Assertion A : Breast-feeding during initial period of infant growth is recommended by doctors for bringing a healthy baby.

Reason R : Colostrum contains several antibodies absolutely essential to develop resistance for teh new born baby.

In teh light of the above statements, choose the most appropriate answer from the options given below:

(1) A is correct but R is not correct.

(2) A is not correct but R is correct.

(3) Both A and R are correct and R is the correct explanation of A.

(4) Both A and R are correct but R is NOT the correct explanation of A.

Ans. (3)

182. Match List I with List II :

List I	List II
A. Pterophyllum	I. Hag fish
B. Myxine	II. Saw fish
C. Pristis	III. Angel fish
D. Exocoetus	IV. Flying fish

Choose the correct answer from the options

given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-III, B-II, C-I, D-IV
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-I, C-II, D-IV

Ans. (4)

183. The "Ti plasmid" of *Agrobacterium tumefaciens* stands for

- (1) Tumor inducing plasmid
- (2) Temperature independent plasmid
- (3) Tumour inhibiting plasmid
- (4) Tumor independent plasmid

Ans. (1)

184. Which of the following is not a component of Fallopian tube?

- (1) Infundibulum
- (2) Ampulla
- (3) Uterine fundus
- (4) Isthmus

Ans. (3)

185. Match List I with List II

List I	List II
A. Down's syndrome	I. 11th chromosome
B. α - Thalassemia	II. 'X' chromosome
C. β - Thalassemia	III. 21 st chromosome
D. Klinefelter's syndrome	IV. 16 th chromosome

Choose the correct answer from the options given below :

- (1) A - III, B - IV, C - I, D - II
- (2) A - III, B - IV, C - I, D - II
- (3) A - I, B - II, C - III, D - IV
- (4) A - I, B - II, C - III, D - IV

Ans. (1)

SECTION - B

186. The following are the statements about not - chordates :

- A. Pharynx is perforated by gills slits

- B. Notochord is absent
- C. Central nervous system is dorsal
- D. Heart is dorsal if present
- E. Post anal tail is absent

Choose the most appropriate answer from the options given below :

- (1) B, D & E only
- (2) B, C & D only
- (3) A & C only
- (4) A, B & D only

Ans. (1)

187. Match List I with List II :

List I	List II
A. Mesozoic Era	I. Lower invertebrates
B. Proterozoic Era	II. Fish and Amphibia
C. Cenozoic Era	III. Birds and Reptiles
D. Paleozoic Era	IV. Mammals

Choose the correct answer from the options given below :

- (1) A-I, B-II, C-IV, D-III
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-I, C-II, D-IV

Ans. (2)

188. Given below are two statements :

Statement I : The cerebral hemispheres are connected by nerve tract known as corpus callosum.


Statement II : The brain stem consists of the medulla oblongata, pons and cerebrum.

In the light of the above statements, choose the most appropriate answer from the options given below :

- (1) Statement I is correct but Statement II is incorrect
- (2) Statement I is incorrect but Statement II is correct
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect

Ans. (1)

189. Identify the correct option (A), (B), (C), (D) with respect to spermatogenesis.



- (1) FSH, Sertoli cells, Leydig cells, spermatogenesis.
 (2) ICSH, Leydig cells, Sertoli cells, spermatogenesis
 (3) FSH, Leydig cells, Sertoli cells, spermiogenesis
 (4) ICSH, Interstitial cells, Leydig cells, spermiogenesis

Ans. (3)

190. Match List I with List II:

- | List I | List II |
|---------------------------------|------------------|
| A. RNA polymerase III | I. snRNPs |
| B. Termination of transcription | II. Promotor |
| C. Splicing of Exons | III. Rho factor |
| D. TATA box | IV. SnRNAs, tRNA |

Choose the correct answer from the option given below :

- (1) A-III, B-IV, C-I, D-II (2) A-IV, B-III, C-I, D-II
 (3) A-II, B-IV, C-I, D-III (4) A-III, B-II, C-IV, D-I

Ans. (2)

191. Match List I with List II :

- | List I | List II |
|------------------------|--|
| A. Exophthalmic goiter | I. Excess secretion of cortisol, moon face & hyperglycemia |
| B. Acromegaly | II. Hypo-secretion of thyroid hormone and stunted growth |
| C. Cushing's syndrome | III. Hyper-secretion of thyroid hormone and protruding eye balls |

- D. Cretinism IV. Excessive secretion of growth hormone

Choose the correct answer from the options given below :

- (1) A-III, B-IV, C-II, D-I (2) A-III, B-IV, C-I, D-II
 (3) A-I, B-III, C-II, D-IV (4) A-IV, B-II, C-I, D-III

Ans. (2)

192. Match List I with List II :

- | List I | List II |
|---------------------------------------|---------------------------------------|
| A. Unicellular glandular epithelium | I. Salivary glands |
| B. Compound epithelium | II. Pancreas |
| C. Multicellular glandular epithelium | III. Goblet cells of alimentary canal |
| D. Endocrine glandular epithelium | IV. Moist surface of buccal cavity |

- (1) A-III, B-IV, C-I, D-II (2) A-II, B-I, C-IV, D-III
 (3) A-II, B-I, C-III, D-IV (4) A-IV, B-III, C-I, D-II

Ans. (1)

193. Given below are two statements :

Statement I : Bone marrow is the main lymphoid organ where all blood cells including lymphocytes are produced

Statement II : Both bone marrow and thymus provide micro environments for the development and maturation of T-lymphocytes

- (1) Statement I is correct but Statement II is incorrect
 (2) Statement I is incorrect but Statement II is correct
 (3) Both Statement I and Statement II are correct
 (4) Both Statement I and Statement II are incorrect

Ans. (3)

194. Match List I with List II related to digestive system of cockroach

- | List I | List II |
|---|-------------------------|
| A. The structures used for storing of food | I. Gizzard |
| B. Ring of 6-8 blind tubules at junction of foregut and midgut | II. Gastric caeca |
| C. Ring of 100-150 yellow coloured thin filaments at junction of midgut and hindgut | III. Malpighian tubules |
| D. The structures used for grinding the food | IV. Crop |

Choose the correct answer from the option given below:

- (1) A-IV, B-III, C-II, D-I (2) A-III, B-II, C-IV, D-I
 (3) A-IV, B-II, C-III, D-I (4) A-I, B-II, C-III, D-IV

Ans. (3)

195. Choose the correct statement given below regarding juxta medullary nephron

- (1) Loop of Henle of juxta medullary nephron runs deep into medulla
 (2) Juxta medullary nephrons outnumber the cortical nephrons
 (3) Juxta medullary nephrons are located in the columns of Bertini
 (4) Renal corpuscle of juxta medullary nephron lies in the outer portion of the renal medulla

Ans. (1)

196. Match List I with List II:

- | List I | List II |
|----------------|---|
| A. P wave | I. Heart muscles are electrically silent. |
| B. QRS complex | II. Depolarisation of ventricles. |
| C. T wave | III. Depolarisation of atria. |
| D. T-P gap | IV. Repolarisation of ventricles. |

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
 (2) A-IV, B-II, C-I, D-III
 (3) A-I, B-III, C-IV, D-II
 (4) A-III, B-II, C-IV, D-I

Ans. (4)

197. As per ABO blood grouping system, the blood group of father is B⁺, mother is A⁺ and child is O⁺. Their respective genotype can be

- A. I^Bi / I^Ai / ii
 B. I^BI^B / I^AI^A / ii
 C. I^AI^B / ii^A / I^Bi
 D. I^Ai / I^Bi / I^Ai
 E. ii^B / ii^A / I^AI^B

Choose the most appropriate answer from the options given below:

- (1) C & B only
 (2) D & E only
 (3) A only
 (4) B only

Ans. (3)

198. Given below are two statements:

Statement I: Gause's competitive exclusive principle states that two closely related species competing for different resources cannot exist indefinitely.

Statement II: According to Gause's principle during competition, the inferior will be eliminated. This may be true if resources are limiting.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is true but Statement II is false
 (2) Statement I is false but Statement II is true
 (3) Both Statement I and Statement II are true
 (4) Both Statement I and Statement II are false

Ans. (2)

199. Regarding catalytic cycle of an enzyme action select the correct sequential steps:

- A. Substrate enzyme complex formation.
- B. Free enzyme ready to bind with another substrate.
- C. Release of products
- D. Chemical bonds of the substrate broken
- E. Substrate binding to active site

Choose the correct answer from the options given below:

- (1) B, A, C, D, E
- (2) E, D, C, B, A
- (3) E, A, D, C, B
- (4) A, E, B, D, C

Ans. (3)

200. Given below are two statements :

Statement I: Mitochondria and chloroplasts all both double membrane bound organelles.

Statement II : Inner membrane of mitochondria is relatively less permeable, as compared to chloroplast.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Statement I is correct but Statement II is incorrect.
- (2) Statement I is incorrect but Statement II is correct.
- (3) Both Statement I and Statement II are correct
- (4) Both Statement I and Statement II are incorrect.

Ans. (1)



®

सिर्फ मेडिकल Preparation का संस्थान
झारखंड के इतिहास में पहली बार
NEET-UG में 700 मार्क्स पार

A Unit of Bhavya Educational Services LLP

Gems of BIOME who got Prestigious Medical College of INDIA through NEET All India Quota - 2023

705
720

RAKHI

MAHIYA
AIIMS
HRISHIKESH

ADITYA
AIIMS
PATNA

ABHAY
AIIMS
PATNA

JYOTIRMOY
AIIMS
KALYANI

SHREYA
LADY HARDINGE
DELHI

PRIYA
BHU
VARANASI

AMRENDRA
PMCH
PATNA

TANJIL
JNMC
AMU, ALIGARH

SEEMAB
JNMC
AMU, ALIGARH

BIOME CLASSROOM HIGHLIGHTS

VIDEO LECTURES

INDIVIDUAL DOUBT SOLVING

HIGH-TECH LIBRARY FACILITY

HOSTEL FACILITY

TRANSPORT FACILITY

13 Out of Top 20 Selections in NEET झारखण्ड - 2023 (Merit List)

1

RANK GENERAL (Category)

RAKHI

1 (BC-I) ABHAY	1 (EWS) HIMANSHU	2 (BC-II) PRIYA	2 (BC-I) TANJEEL
5 (GEN) MAHIYA	7 (SC) SHUBHAM	13 (BC-II) VINAY	13 (BC-I) SEEMAB
14 (BC-I) SONAM	15 (BC-II) ANIRBHAN	15 (SC) RAHUL	17 (BC-I) AKASH

Admission Announcement

For NEET PHASE - II Admission

BIOME Scholarship-Cum-Admission Test (B-SAT) to be held on

8th, 9th, 11th & 12th May 2024

OFFLINE MODE

Foundation	Fresher	Target
(11 th moving students) For NEET 2026 Starting from 13th May 2024	(12 th moving students) For NEET 2025 Admission is Going on....	(12 th passed students) For NEET 2025 Starting from 13th May 2024

SCAN this QR CODE & Register for OFFLINE SCHOLARSHIP TEST

7360066185 / 86 / 87 / 88 / 89 / 90 / 91 / 92

CORPORATE OFFICE : (RANCHI) Shivpuri (Kilburn Colony), Opp. Spring City Mall, Hinoo | **BRANCH OFFICE :** (RANCHI) New Nagratoli, Near Women's College, Science Block

